ID AGRI

ENGLISH



COMFORT & WELFARE
OF FARM ANIMALS

LET'S WORK TOGETHER, **FOR ANIMAL WELFARE**



Dear partners, Today, **IDS Agri becomes ID Agri.** A new name, a new identity and a commitment: **to place the comfort, health and safety of farm animals at the heart of our concerns.** At ID Group, we believe that animal welfare is a shared responsibility, essential to sustainable, efficient and respectful agriculture.

For 30 years, we have been supporting farmers **to improve their daily lives and those of their animals.** Thanks to our expertise, our presence in the field and your feedback, we develop technical solutions tailored to all types of farms. With our tailor-made approach, from advice to installation, we are at your side to help you achieve your projects.

Whether it's **bedding or flooring**, every product we design has a clear purpose: **to promote animal comfort, safety and health** by reducing stress and injuries and facilitating natural behaviours such as resting and moving around.

As you know, when it comes to bedding, **every extra minute of rest has a beneficial effect on milk production.** It is therefore essential that cows feel comfortable in their cubicles so that they can enjoy optimal comfort for ruminating or resting.

Cows also need to be able **to move around the barn safely** in order to access the feeding table, milking parlour or milking robot without stress, but also to be able **to fully express their natural behaviours.**

Choosing our cubicle mattresses and non-slip flooring meYEARS **offering each herd the well-being it deserves.**

This catalogue is a distillation of our expertise, your feedback from the field, and our shared desire to raise animals differently – with high standards, respect, and passion.

Thank you for your trust.

The ID Agri team

SUMMARY



BEDDING Pages 6 to 17



WALKING AREAS Pages 18 to 21



MILKING PARLOURS Pages 22 to 28



CATTLE TRUCKS Pages 29 to 31



PORKS Pages 32 to 33



MISCELLANEOUS Pages 34 to 39

A SOLUTION **FOR EVERY NEED**


Easily find the cubicle mattress or floor covering that meets your needs!

Path
IDS GREEN (p.36)

Cubicles
Natura (p.6)
Quiéta Evolution (p.8)
Quiéta (p.10)
Sofa (p.14)

IDS Sand (p.15)
IDS Stop (p.16)
Straps (p.17)

Scraped walking area
Zig Zag (p.18)
IDS 16: in roll (p.20)
Protector (p.34)
Relax Grat (p.35)



Tie stall
Classic (p.12)
IDS 16: in roll (p.20)

Slatted floor
Easy Fix (p.21)

Milking parlour pit
MB46 (p.24)
IDEX tiles (p.26)
M69, M69 Mini
and MR12 (p.28)

Dairy
IDEX tiles (p.26)
MB46 (p.24)

Office
IDEX tiles (p.26)

Calving stall
Clip Super (p.22)

Milking parlour & waiting areas
Clip Super (p.22)
IDS 12: in roll (p.20)
IDS Ramp (p.30)

ON SITE, **SERVICE**

You can count on our technical experts to support you through every stage of your project's success.

ADVICE | LAYOUT | INSTALLATION | AFTER-SALES SERVICE

OUR **RECOMMENDATIONS**

COW MATS

Products	Pages	Bedding		Walking areas		Milking parlours		
		Cubicle	Tie Stall	Slatted floor	Corridors	Deck	Pit	Waiting areas
Natura	6-7	★★★★						
Quiéta Evolution	8-9	★★★★						
Quiéta Individual mat or roll	10-11	★★★	★ Rolls only					
Classic	12-13	★	★★★					
Sofa	14	★★	★★★					
IDS Sand	15	★★★★ Sand cubicle						
IDS Stop	16	★★★★						
Brisket straps	17	★★★						
Zig Zag	18-19				★★★★			★★★★
IDS 12	20					★★★		★★★
IDS 16	20				★★★			
Easy Fix	21			★★★★				
Clip Super	22-23				★★	★★★★		★★★
MB46 Tiles	24-25						★★★★	
IDEX Tiles	26-27						★★★	
Rubber grating	28						★★★	

CATTLE TRUCKS MATS

Products	Pages	Floor	Deck
Rubber grating	28	★★	
IDS Rolls	29	★★	
IDS Ramp	30		★★★★
ID MAT 6	31	★★	

GAMME PORCS

Products	Pages	Porks	Piglets
ID MAT 6	31	★★★	★★
Piglets nest	32		★★★★
Strie 10	33		★★

Photos are not contractually binding.
Weights and dimensions are provided for information purposes only - Product tolerance +/-5%

NATURA

100% NATURAL LATEX FOAM CUBICLE MATTRESS



DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

100% NATURAL LATEX FOAM



Rear



Front


WITHOUT SLOPE



WITH SLOPE (2,3%)







IDS Sheet:
High quality rubber sheet with textile insertion



Not recommended for tie stall

100% natural latex foam sealed in a plastic bag (350gr/m²).

Custom length on request

COMFORT

The most comfortable rolled mattress with 100% latex foam with a density of 300 kg/m³. Guaranteed to retain its shape.

SECURITY

Non-slip upper surface prevents injuries and makes it easier for cows to lie down.

HYGIENE

Seamless roll system. Perfect waterproofing thanks to profiles that prevent any infiltration. Also available with a rear slope for better drainage.

RELIABILITY

100% latex foam. Durable rubber thanks to its textile insert. Reduced maintenance costs, straw consumption and labour time.

Reference	Width	Length	Thickness	Weight
NATURA without slope Complete mattress	1,80 m	Ut to 60 m	45 mm	IDS Sheet : 4 kg/m² Latex foam : 11,7 kg/m² - 300 kg/m³
NATURA with slope Complete mattress	1,80 m	Ut t o60 m	75 - 35 mm	IDS Sheet : 4 kg/m² Latex foam : 14,6 kg/m² - 300 kg/m³

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

QUIETA EVOLUTION

INDIVIDUAL CUBICLE MATTRESS WITH 100% NATURAL LATEX FOAM



DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

NEW!
EVEN MORE DURABLE, STILL JUST AS COMFORTABLE!



ID GROUP
QUIETA EVOLUTION
✓ Deformability/elasticity
✓ Permanent tread load
DLG Test Report 7557






T profile: can be use to adapt the mat to the freestall dimensions.



More resistant
Reinforced upper surface approved by the DLG.

Permanent waterproofing thanks to the factory-vulcanised cover



Ready to install
Easy installation thanks to puzzle joints

8x100mm Hammer-in anchors with stainless steel screws & washers.
3 screws / place

COMFORT

Excellent sleeping comfort thanks to its thick memory foam latex. DLG Class 4 test, highest level of comfort. (DIN 3763)

SECURITY

Hammered, non-slip upper surface. Flexibility prevents injuries to the hocks.

HYGIENE

Foam sealed in the factory in a waterproof rubber assembly.
Waterproof seal between each mattress.
Built-in slope at the rear to allow juices to drain away.

RELIABILITY

Excellent crush resistance confirmed by the DLG for optimal durability.
The best of Quiéta+ comfort, now with an even more efficient structure.

Reference	Width	Length	Thickness	Weight
QUIETAEVO1150CLIP	1150 mm	1850 mm	50 mm	78 kg
QUIETAEVO1200CLIP	1200 mm	1850 mm	50 mm	81 kg
QUIETAEVO1250CLIP	1250 mm	1850 mm	50 mm	85 kg
QUIETAEVO1300 with T PROFIL	1300 mm	1850 mm	50 mm	88 kg

Other dimensions available on request

Not recommended for tie stall

100% NATURAL RUBBER

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

QUIETA

RUBBER CUBICLE MAT



DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

INDIVIDUAL MAT




100% NATURAL RUBBER

FOKUS TEST 04/09 BTS-Rindvieh

FOKUS TEST 09/07 Abriebfestigkeit



IN ROLL



Individual mats not recommended for tie-stall barns

Quick & easy to install thanks to puzzle junctions

8x80mm Hammer-in anchors with stainless steel screws & washers. 3 screws / place

COMFORT

Good sleeping comfort: optimal distribution of rubber studs on the underside.

SECURITY

Hammered, non-slip upper surface: fewer injuries, less stress, improved well-being and higher animal performance.

HYGIENE

100% natural rubber. Built-in slope at the rear of the mat allows juices to drain away. High-pressure washable.

RELIABILITY

High crush resistance. Reduced maintenance costs, straw consumption and cleaning time.



T-profile: if needed to adjust individual mats to the dimensions of the cubicle.

Type	Reference	Width	Length	Thickness	Weight
INDIVIDUAL MAT	QUIETA1150CLIP	1150 mm	1850 mm	30 mm	46 kg
	QUIETA1200CLIP	1200 mm	1850 mm	30 mm	50 kg
	QUIETA1250CLIP	1250 mm	1850 mm	30 mm	52 kg
IN ROLL	QUIETARL148 (heifers)	1480 mm	Max 30 m	30 mm	16 kg/m²
	QUIETARL175	1750 mm	Max 30 m	30 mm	16 kg/m²
	QUIETARL180	1800 mm	Max 30 m	30 mm	16 kg/m²
	QUIETARL185	1850 mm	Max 30 m	30 mm	16 kg/m²

20 cm slope available on request

Quiéta Roll: Custom length on request

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com


CLASSIC

STURDY MAT FOR TIE STALLS AND CUBICLES



DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com






Hammered upper side

100% NATURAL RUBBER

8x80mm Hammer-in anchors with stainless steel screws & washers. 3 screws / place

Quick & easy to install



Grooved lower side

COMFORT

Comfortable thanks to its natural rubber structure. Effective for sleeping as well as for long periods of standing in the case of tethered stables.

SECURITY

Hammered, non-slip upper surface. Makes it easier for cows to lie down. Reduces the risk of injury.

HYGIENE

High-pressure washing. Lower grooves for drainage.

RELIABILITY

Very robust and non-deformable product. Reduces maintenance costs, straw consumption and working time.

Four straight edges

Width	Length	Thickness	Weight
100 cm	150 - 165 - 175 - 185 - 200 - 220 cm	17 mm	20 kg/m²
110 cm	165 - 175 - 185 - 200 - 220 cm	17 mm	20 kg/m²
120 cm	165 - 175 - 185 - 200 - 220 cm	17 mm	20 kg/m²
125 cm	165 - 175 - 185 - 200 - 220 cm	17 mm	20 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

SOFA

ULTRA-RESISTANT ROLL MATS FOR CUBICLES AND TIE-STALLS

100% RUBBER



COMFORT

Optimal distribution of rubber pads on the underside. Ideal for long periods of standing in tethered stables.

SECURITY

Hammered, non-slip upper surface: fewer injuries, less stress, improved well-being and higher animal performance.

HYGIENE

100% rubber.
Built-in slope at the rear of the mat allows juices to drain away.
High-pressure washable.

RELIABILITY

High crush resistance.
Reduced maintenance costs, straw consumption and cleaning time.



Easy and quick to install: No joints

8x80mm Hammer-in anchors with stainless steel screws & washers. 3 screws / place

Custom length on request

Reference	Width	Length	Thickness	Weight
SOFA1750	1750 mm	Max 30 m	30 mm	18,2 kg/m²
SOFA1850	1850 mm	Max 30 m	30 mm	18,2 kg/m²

*40 cm slope available on request

DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDS SAND

SAND STABILISER FOR HOLLOW CUBICLES



COMFORT

Its honeycomb structure retains sand and prevents the formation of hollows in the cubicle.

SECURITY

The floor of the cubicle remains flat, which makes it easier for cows to lie down. Prevents injuries to the hocks.

HYGIENE

As sand is an inert material, it ensures better hygiene and reduces the risk of mastitis.

ECONOMIC

Keeps sand in the stall, preventing loss.
Reduces maintenance costs, sand consumption and labour time.



Prevents the formation of hollows in the cubicle.

Secure the IDS Sand mat to the bottom of the cubicle using 12 8x100mm hammer-in pegs with A2 stainless steel screws and washers.

Cover the mat with a 2-3 cm layer of sand and compact it using a vibrating plate. Finally, cover with a layer of straw approximately 5 cm thick.

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Reference	Width	Length	Thickness	Weight
IDS SAND	1,14 m	1,54 m	100 mm	50 kg

100% NATURAL RUBBER

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

BRISKET STRAPS

BRISKET STRAPS FOR CUBICLES



COMFORT

Custom-made strap that secures cows at the front of the cubicle.
No risk of joint injuries. Allows cows to extend their legs.



Ratchet



Strap

Position a strap holder every 4 to 5 cubicles.

Reference	Width	Length	Resistance
SANGLE PU 75 mm (Strap)	75 mm	Custom-made	9 tons
SANGLE TENDEUR 75 mm (Ratchet)	75 mm	50 cm	9 tons

Quick & easy to install

DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDS STOP

RUBBER BRISKET BOARD




Quick & easy to install



COMFORT

100% rubber brisket board. Rounded design to prevent injury. Limited height allows cows to extend their front legs.





Place a 5x7cm rafter (not included) tightened to the floor, then tighten the border on it with 8x80mm stainless steel screws and washers.
8 screws / border

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Reference	Width	Length	Thickness	Hight	Weight
IDS STOP	150 mm	1,14 - 1,20 m	20 mm	150 mm	13 kg

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

ZIG ZAG

ULTRA-STURDY WALKWAY MAT



DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com







Wire insert

COMFORT

Flexible and non-slip thanks to its grooved surface. Reduces the risk of falls and stress for animals.

INSTALLATION

Few fixings. Assembly instructions provided, instructions to be followed. Easy to cut to length. No gluing required.

HYGIENE

Drainage design. High-pressure washing. Compatible with many scraper models.

RELIABILITY

Highly resistant to abrasion.
No expansion.
Reduced veterinary costs due to falls.
Improved heat expression.
Good value for money.

Customised length and width on request

6.4 x 70 mm steel nails

Reference	Width	Length	Thickness
ZIGZAG	Custom-made	Custom-made Maxi 30 m	Approx. 22 mm

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDS 12 / 16

ROLLED MATS FOR SCRAPED CORRIDORS, MILKING PARLOURS AND WAITING AREAS



ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

CUSTOM DIMENSIONS



COMFORT

Flexible with a non-slip hammered rubber upper surface. Reduces the risk of falls and stress for animals.

INSTALLATION

Install in joint.
Few fixings.
Follow the assembly instructions provided.
No gluing.

HYGIENE

Compatible with most scrapers.
Can be cleaned with high-pressure cleaner.
Resistant to most cleaning agents.

RELIABILITY

Highly resistant to abrasion. Reduced veterinary costs due to falls, improved heat expression.
Textile insert.



Textile insert

Customised length and width on request

6,5 x 70 mm steel nails

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Reference	Width	Length	Thickness	Weight
IDS12T	Standards: 1.00 - 1.20 - 1.50 - 1.60 - 1.80 - 2.00 m or custom dimensions up to 2.00 m	Max 50 m	12 mm	13,9 kg/m²
IDS16T	Standards: 1,50 - 1,60 - 1,80 - 2,00 m or custom dimensions up to 2.00 m	Max 50 m	16 mm	21,2 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com


CLIP SUPER

INTERLOCKING TILES FOR MILKING PARLOURS AND WAITING AREAS




DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com





Non-slip surface



Grooved underside

COMFORT

Non-slip diamond pattern on the upper surface. Good flexibility allowing cows to grip even in very wet conditions.

INSTALLATION

Easy to install thanks to the puzzle system.
No gluing required.
Follow the assembly instructions provided.

HYGIENE

Grooved underside to drain moisture.
Resistant to most cleaning agents.
High-pressure cleaning.

RELIABILITY

Abrasion resistant.
Reduced veterinary costs due to falls, improved heat expression.

Quick & easy to install

Stainless steel nails 6.5 x 70 mm
4 nails per slab


100% NATURAL RUBBER

Reference	Dimensions	Thickness	Weight
CLIP SUPER	1 x 1 m	17 mm	21 kg

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

MB46

ANTI-SLIP AND ANTI-FATIGUE FLOORING FOR MILKING PARLOUR PITS



DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com



Slab



Connections



Drainage base



Roll

COMFORT

100% rubber mat, non-slip on dry or wet surfaces. Significant anti-fatigue and shock-absorbing properties thanks to its revolutionary underside. Insulates against the cold.

INSTALLATION

Lightweight, easy to install.
Clip-on tiles or rolls.
No gluing required.

HYGIENE

Jet cleaning.
Resistant to most cleaning agents.
Drainage on underside.

ECONOMIC

Very good value for money.

100% NATURAL RUBBER


Reference	Dimensions	Thickness	Weight
MB46	91 x 91 cm	14,5 mm	9,1 kg
MB46 ROLL	1,80 x 10 m	14,5 mm	11 kg/m²

Quick & easy to install


ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDEX

ANTI-SLIP CLIP-ON TILES FOR MILKING PARLOURS PIT



ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com



COMFORT

Non-slip upper surface, makes wet floors less slippery. Insulates against the cold.

INSTALLATION

Can be laid without fixing on concrete slabs or worn tiles. No gluing required. Available in blue, green, red and light grey.

HYGIENE


Jet cleaning or high-pressure washing. Resistant to detergents and disinfectants.

RELIABILITY

High-quality PVC composition. Hardness 92 shores. Good value for money.

PVC

Quick & easy to install



DOCUMENTATION & INSTALLATION INSTRUCTIONS

Reference	Dimensions	Thickness	Weight
IDEX	50 x 50 cm	5 mm	8 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

RUBBER GRATING

RUBBER GRATING FOR MILKING PARLOURS PIT, CALF PENS AND LIVESTOCK TRANSPORT



100% NATURAL RUBBER

Quick & easy to install

COMFORT

Non-slip mat. Relieves leg and back fatigue. Insulates against the cold. Ideal for calf pens.

INSTALLATION

Lightweight mat, easy to install.
Comes in a roll for convenient installation (M69 Mini and MR12)
No fasteners required.

HYGIENE

Lightweight mat, easy to install (can be removed for cleaning). Bottom surface with drainage studs. Resistant to most cleaning agents.

RELIABILITY

Very robust product. Excellent value for money.



M69



M69 MINI
(roll)



MR12
(roll)

Reference	Dimensions	Thickness	Weight
M69 (mat)	100 x 150 cm	23 mm	15 kg
M69 Mini (Roll)	1 x 10 m	10 mm	7,3 kg/m²
MR12 (Roll)	1,83 x 10 m Other widths available on request	10 mm	7,4 kg/m²

DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

TRUCKS

CARPETS FOR LIVESTOCK TRUCKS

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Custom length on request

COMFORT

Reduces the risk of animals slipping and injuring themselves. Reduces the noise of footsteps.

INSTALLATION


Special wide width: suitable for all types of livestock trailers. Loose lay or glued.

HYGIENE


Jet cleaning or high-pressure cleaner. Resistant to detergents and disinfectants.

RELIABILITY


Extremely long service life thanks to the textile insert. Highly resistant to wear and tear.



IDS 10T
Hammered upper side
Fabric impression on the lower side
with textile insertion



IDS 12T
Hammered upper side
Smooth lower side
with textile insertion



IDS 20T
Hammered upper surface, studded
lower surface with textile insertion

Reference	Type	Textile insertion	Width	Max Length	Thickness	Weight
IDS10T	Roll	Yes	1,80 m - 2,40 m	Custom-made - Maxi 50 m	10 mm	12 kg/m²
IDS12T	Roll	Yes	2,00 m	Custom-made - Maxi 50 m	12 mm	13,9 kg/m²
IDS20T	Roll	Yes	2,40 m	Custom-made - Maxi 50 m	20 mm	19,2 kg/m²
MR12	Roll	No	1,83 m	10 m	10 mm	7,4 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDS RAMP

SPECIAL MAT FOR LIVESTOCK TRUCK DECKS AND MILKING PARLOURS



COMFORT

Prevents slipping when animals are being loaded and unloaded. Reduces the noise of trampling, which causes stress to the animals.

INSTALLATION


Can be installed on a wooden or iron decks. Fastened with screws or glued.

HYGIENE

Jet cleaning or high-pressure cleaner. Resistant to detergents and disinfectants.

RELIABILITY

Very robust rubber mat. Saves time when loading animals.



DOCUMENTATION & INSTALLATION INSTRUCTIONS

Custom cutting on request

Reference	Width	Length	Weight
IDSRAMP	2,40 m	30 m	8,5 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDMAT 6

ULTRA-STURDY RUBBER MAT FOR LIVESTOCK TRUCKS AND PIGLETS



COMFORT

Exceptional grip thanks to its honeycomb upper surface
Sound and heat insulation.
High wear resistance thanks to its 2 layers.

INSTALLATION

Loose lay or glued installation.

HYGIENE

Waterproof and resistant to bacteria. Can be cleaned with a jet or high-pressure cleaner. Resistant to most cleaning agents.

VERSATILE

Suitable for use in livestock transport. Suitable for circulation areas. Suitable for piglets from birth to fattening.

DOCUMENTATION & INSTALLATION INSTRUCTIONS



Textile insert



Highly non-slip honeycomb upper surface



Reference	Width	Length	Thickness	Weight
IDMAT 6	1,5 m	Maxi 50 m	6 mm	5,4 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

PIGLET NEST

VERY ROBUST BEDDING MAT FOR PIGLETS



COMFORT

Non-slip mat thanks to its hammered surface. Excellent thermal insulation. Very difficult for piglets to move.

INSTALLATION

No gluing. Easy to handle.

HYGIENE

Easy to clean with a water jet or high-pressure cleaner. Resistant to most cleaning agents.

RELIABILITY

Excellent durability. Made from very robust rubber.

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Quick & easy to install

Custom cutting

Dimensions	Thickness	Weight
Custom-made	17 mm	23 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

STRIE 10

RUBBER MATS FOR PIGLETS



Hammered upper surface / striated lower surface

COMFORT

Rubber mat providing excellent thermal insulation.
Non-slip mat thanks to its hammered surface.

INSTALLATION

Loose lay.
Quick and easy to install.

HYGIENE

Easy to clean with a water jet or high-pressure cleaner.
Resistant to most cleaning agents.

VERSATILE

Can be used for any other purpose.

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Quick & easy to install

Custom cutting

Reference	Dimensions	Thickness	Weight
STRIE10	2 x 1 m	10 mm	28 kg

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com


PROTECTOR

CORNER PROTECTION



COMFORT

Protects animals from injury. Prevents damage to buildings by animals.





Quick & easy to install

DOCUMENTATION & INSTALLATION INSTRUCTIONS

Reference	Dimensions	Weight
PROTECTOR	Length : 900 mm Width: 120 x 120 mm	3 kg

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

RELAX GRAT

WALL SCRAPER



COMFORT

Allows cows to scratch themselves without risk of injury.



Scratching posts

Quick & easy to install

Reference	Dimensions	Thickness	Weight
RELAX GRAT	61 x 122 cm	17 mm	12,3 kg

DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

IDS GREEN

OUTDOOR GROUND STABILISATION SLABS



COMFORT

Stabilises the ground. Facilitates water infiltration and prevents ruts.
Animals are always kept dry.

INSTALLATION

Clip-on tiles. Quick assembly and disassembly without special tools.

ECOLOGIC

Allows vegetation to grow. Prevents soil compaction.

RELIABILITY

High resistance to fire, weather, frost and UV rays. Withstands up to 350 T/m² in the case of machine traffic.

Quick & easy to install



Clip-on tiles



DOCUMENTATION & INSTALLATION INSTRUCTIONS

Reference	Dimensions	Thickness	Weight
IDSGREEN50050040	50 x 50 cm	40 mm	5,6 kg/m²

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

RUBBER ROLLS

MULTI-PURPOSE RUBBER SHEETS

DOCUMENTATION & INSTALLATION INSTRUCTIONS



COMFORT

Non-slip.
Economical.
Soundproofing.

VERSATILE

Protection for workbenches, car floors, tractor cabins, livestock trailer decks, etc.

Quick & easy to install



Checker



Fines ribs



Wide grooves




RUBBER
2 smooth sides

Reference	Designation	Textile insert	Colour	Dimensions	Thickness	Weight
IDS6	IDS 6	No	Black	2,00 x 60 m	6 mm	12,2 kg/m²
CHECKER100N3	Checker	No	Black	1,00 x 10 m	3 mm	4,3 kg/m²
CHECKER140N3	Checker	No	Black	1,40 x 10 m	3 mm	4,3 kg/m²
CHECKER140G3	Checker	No	Grey	1,40 x 10 m	3 mm	3,9 kg/m²
CHECKER140N6	Checker	No	Black	1,40 x 10 m	6 mm	8,4 kg/m²
FINES120N	Fine ribs	No	Black	1,20 x 10 m	3 mm	2,5 kg/m²
FINES100N	Fine ribs	No	Black	1,00 x 10 m	3 mm	2,5 kg/m²
FINES120G	Fine ribs	No	Grey	1,20 x 10 m	3 mm	2,7 kg/m²
CANNELE120N6	Wide grooves	No	Black	1,20 x 10 m	6 mm	6,5 kg/m²
CANNELE100N6	Wide grooves	No	Black	1,00 x 10 m	6 mm	6,5 kg/m²
CCO2FL3	RUBBER SBR 2 smooth sides	No	Black	1,40 x 10 m	3 mm	4,4 kg/m²
CCO1FL1FIT2P4	RUBBER SBR 1 smooth side / 1 textile print side - 2 plies	Yes	Black	1,40 x 10 m	4 mm	6,4 kg/m²
CCO2FL6	RUBBER SBR 2 smooth sides	No	Black	1,40 x 10 m	6 mm	8,8 kg/m²

SCRAPER STRIPS

BLACKSTAR RUBBER SCRAPER STRIPS



DOCUMENTATION & INSTALLATION INSTRUCTIONS

CUSTOM DIMENSIONS

NON-CLOTH STRIP

Suitable for all liquid manure scraper.
Enables a good scraping.
Highly resistant to abrasion.

SUPERIOR QUALITY NON-CLOTH STRIP			
Reference	Dimensions	Thickness	Abrasion
BLACKSTAR	140 x 2000 mm	25 mm	100 mm³
BLACKSTAR	140 x 2250 mm	25 mm	100 mm³
BLACKSTAR	140 x 2500 mm	25 mm	100 mm³

2-PLY STRIP

Suitable for all liquid manure scraper.
Designed for intensive use.
Enables a good scraping.
Highly resistant to abrasion.

SUPERIOR QUALITY 2-PLY TEXTILE INSERTION STRIP			
Reference	Dimensions	Thickness	Abrasion
BLACKSTAR	140 x 2000 mm	25 mm	100 mm³
BLACKSTAR	140 x 2250 mm	25 mm	100 mm³
BLACKSTAR	140 x 2500 mm	25 mm	100 mm³

Quick & easy to install

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com

FOOTBATH


SCRUBBING FOOTBATH FOR DISINFECTING FEET



HYGIENE

Optimal disinfection with minimal product loss. Scrubbing spikes for perfect shoe cleaning. 6 to 8 litres of disinfectant.





Scrubbing spikes

Quick & easy to install

Reference	Dimensions	Thickness	Weight
PEDILUVECC810985	810 x 985 mm	50 mm	15 kg

DOCUMENTATION & INSTALLATION INSTRUCTIONS

ID GROUP
ZA Alpespace 73800 Porte de Savoie - FRANCE
Phone : +33 (0)4 79 84 36 06 - www.ids-agri.com - contact@ids-agri.com



08/2025

ID AGRI

A brand of ID GROUP

ID GROUP
Z.A Alpespace
47 Voie Saint Exupéry
73800 Porte de Savoie
FRANCE

+33 (0)4.79.84.36.06

www.ids-agri.com

IDS.Agri

ID-GROUP-FRANCE

IDGROUP FRANCE